

OFFICE OF THE CHIEF ENGINEER PWD, RAJASTHAN, JAIPUR

90

NO. CE/PWD/RAJ/11/2002

Dated 8th, May, 2002

LETTER NO. 14/2002

It has been observed that the material to be used for granular sub base / shoulders is usually quarry-rubbish, gravel, meorum, kankar etc. But it has been further noticed that the material does not conform to the specifications as laid down in the clause 401.2.1, 401.2.2 and grading requirements as per Table 400-1, & 400-2 of specifications of Road & Bridge works (MORTH).

It is therefore enjoined upon all the field officers of the department to ensure the use of granular material for construction of sub base / shoulders should comply to the requirements like gradation, liquid limit, P.I. value & C.B.R value etc as per requirements laid down in the specifications of Road & Bridge works (MORTH).

It is further clarified that "Close graded granular material as per grading prescribed in the Table No. 400-1 should be used for shoulders or in case of wearing surfaces" and the "Coarse graded granular material as per grading prescribed in the Table No. 400-2 should be used for granular sub-base to be overlaid by WBM surface."

*(Signature)*

(H.L. MINA)  
Chief Engineer cum Addl. Secy.  
PWD Rajasthan, Jaipur.

8/5/2002

Copy to the following for information and necessary action please :-

1. The P.S. to Hon'ble PWD Minister, Govt. of Rajasthan, Jaipur.
2. The Secretary to Govt. PWD Rajasthan, Jaipur.
3. The Addl. Chief Engineer, PWD Zone.....(All)
4. The Superintending Engineer, PWD Circle.....(All)
5. The Executive Engineer PWD Div.....(All)
6. The Sr. PA to CE(R)/(N)/OSD/All SE's & EE's in CE's office.
7. PF/GF.

*(Signature)*

Chief Engineer cum Addl. Secy.  
PWD Rajasthan, Jaipur.

8/5/2002

Sd/- P.W.D. Jaipur

No. 485

1161

Di-14-5-02

सचिव, राजस्थान प्रभुत्व विभाग  
स. वि. विभाग, जयपुर  
पिन-302002

*(Signature)*  
सचिव, राजस्थान प्रभुत्व विभाग  
स. वि. विभाग, जयपुर  
पिन-302002