

OFFICE OF THE CHIEF ENGINEER, PWD, RAJASTHAN, JAIPUR

No. SE(PMGSY)/Circular/2008/D- 2867

Dated 18.03.2008

CIRCULAR

Sub: Quality control on PMGSY works.

To ascertain good quality control, following instructions be followed henceforth, for PMGSY works :-

1. Work of CC road is to be taken-up only after arrangement of required machinery of CC work and submission of certificate by contractor and verification by Engineer in charge.
2. Payment of CC works to be released after conducting test at least one sample in each 500 meter length by Core Cutter, at site
3. No work to be finalized without checking of B1 surface by Roughometer & getting result of "Good" category as per IRC: SP-16, 2004.
4. Payment of BM shall be paid only after detailed checking of density and bitumen contents by picking up at least 2 samples in each kilometer by Core Cutter, at site.

These tests are in addition to other tests being carried out as per norms. **Strict compliance of this order should be ensured.**

Further, in this context, directions already issued vide CE (NH) letter No. 120 (187) /Sec. II /PPR /CRF /D8? dated 13-04-06, CE(R-I) letter No. CE/PWD/SF(P&M)/D-123? dated 11-09-2007, No. 108 dated 10-12-2007 & Secretary, PWD No. SE (PMGSY)/CC/ 2008/D-2829 dated 05-03-08 to be strictly complied for PMGSY works

Please acknowledge the receipt of this circular.

18/3/08
CHIEF ENGINEER (PMGSY)

Copy submitted to the followings for kind information please :-

1. PS to Hon'ble PWM, Rajasthan, Jaipur.
2. PS to Pr. Secretary, PWD, Rajasthan, Jaipur.
3. PS to Secretary, PWD, Rajasthan, Jaipur

PMGSY

Copy to following for immediate compliance:-

1. The Additional Chief Engineer, PWD, Zone : _____ (All)
2. The Superintending Engineer, PWD, Circle : _____ (All)
3. The Executive Engineer, PWD, Division : _____ (All)

5/22

18/3/08
CHIEF ENGINEER (PMGSY)

NO

2-

*copy to ee PWD Dist on kuta / Plain
Safed for compliance
did*

Ad. PMGSY E:\PMGSY_25-02-06\Circular_18-03-08.doc

9:50 27/3/08

*det
are...*