

57

47

GOVERNMENT OF RAJASTHAN
PUBLIC WORKS DEPARTMENT

No.F.14(3)/PW/PMGSY/Policy/2004/D- 69

Dated: 06/08/2004

THE DIVISIONAL COMMISSIONERS
THE COLLECTORS
THE ADDITIONAL CHIEF ENGINEERS
THE SUPERINTENDING ENGINEERS
THE EXECUTIVE ENGINEERS

Sub : Pradhan Mantri Gram Sadak Yojana (PMGSY) – Preparation of proposals for un-connected Panchayat Head Quarters (PHQ).

Sir,

1. As informed earlier approval of proposals by Panchayat Samities (PS), District Planning Committee (DPC) and Zila Parishad (ZP) is a pre-requisite to sanction of PMGSY works.
- 2.1 I Proposal : The proposals for connecting all un-connected Panchayat Head Quarters by BT road is now to be prepared irrespective of population criteria.
- 2.2 II Proposal : The proposals for connecting all WBM road connected Panchayat Head Quarters by BT road is to be prepared irrespective of population criteria.
- 2.3 III Proposals : The proposals for connecting all Gravel road connected Panchayat Head Quarters by BT road is to be prepared irrespective of population criteria.
3. The PHQs to be included in the proposals should satisfy all the following criteria :-
 - (i) Only those which are totally unconnected (i.e. no gravel or WBM road should be there)
 - (ii) All such PHQs should be minimum 500 metres away from nearest road and,
 - (iii) No proposal should be included for which village (PHQ) is connected but Panchayat Ghar is not connected.

The gravel road, not constructed to the specification, shall be considered as non-gravel and hence would qualify as unconnected. As per the IRC specifications the gravel used in road must have Plasticity Index (PI), Liquid Limit and California Bearing Ratio (CBR) value upto 6, 25% and minimum 15 respectively. The gravel used should be compacted to at least 98% IS heavy compaction. The minimum compacted thickness of gravel should not be less than 150 mm (6"). The size of gravel used should not more than 1/3rd of the compacted thickness.

The proposed District PHQ Plan is a collation of the Block Plan.

- 4.1 The District PHQ plan would include all unconnected PHQs except the ones already covered by ongoing work, already sanctioned work or by already included in District Rural Road Plan prepared earlier. Hence, unconnected PHQs included in PMGSY proposals sent must not be included.
- 4.2 Data in Format I of Manual (already forwarded last time) would include only such habitations / village, which are essential for deciding amongst alternates to finalise optimal road link.
- 4.3 While selecting question point, priority would be accorded to population of SC/ST Mohalla / Basti / Dhani / Habitation and nearby population, which can be covered while connecting such SC/ST habitation.
- 4.4 Villages with road link to another district would be considered as connected. However, villages with links to other state, but not connected in Rajasthan, would be treated as unconnected.
- 4.5 Villages connected by a BT road (but with missing CD works) are not to be included.
5. Member Secretary, PIU (SE/EE) is responsible for :-
- (a) Designating a PWD officer block-wise for
 - (i) Preparation of blockwise plan and
 - (ii) Submission to concerned PSs

Such designated PWD official must be present in the Panchayat Samiti meeting to explain questions raised. He would ensure forwarding the Plan to the concerned SE / EE alongwith concerned Panchayat Samiti resolution :-

- (b) Putting before the District Planning Committee and Zila Parishad a complete plan and obtaining approval. He must also be present in meetings to explain the doubts raised while the plan is taken up for consideration; and
- (c) Forwarding the same to the Chief Engineer alongwith resolutions of PSs and ZPs.

Dates for statewide meetings of all Panchayat Samitis and Zila Parishads have already being informed separately and are as under :-

- | | |
|---|------------------------|
| (a) Meeting of Panchayat Samities | 31-08-2004 (Forenoon) |
| (b) Meeting of District Planning Committee- | 02-09-2004 (Forenoon) |
| (c) Meeting of Zila Parishad - | 02-09-2004 (Afternoon) |

- 6.1 The PHQs would be ranked on the basis of population.
- 6.2 Cost estimate is to be given in the enclosed format.

59

49

6.3 Calculation for Road Index will be as given in Table-3 of Manual, modified as under :-

S.No.	Name and Code of Unconnected Habitation	Pop. (2001 Census)	Connected Habitation (CH)	Utility Value (UV)	Length (in Km.)	Road Index (RI) = UV/Length	Selected takeoff point with maximum RI
1	2	3	4	5	6	7	8

- 6.4 The plan should also be provided in floppy (duplicate) alongwith hard copy on paper. The "Tabulation Work" is to be carried out in software "MS Excel".
- 6.5 Blockwise map should be in the scale 1:50,000 and the district map (preferably) should be in 1:2,50,000.
- 6.6 The proposed village (PHQ) offtake point shall be highlighted with yellow / green respectively.
- 6.7 Number as adopted in Table-3 for all alternative routes shall be marked in the map.
- 6.8 Alongwith the blockwise abstract, a complete abstract for the district shall also be provided both in soft copy as well as in hard copy (printout).

The compiled proposals zonewise would be brought to the Chief Engineers office as per following schedule :-

- (i) Ajmer and Bikaner - 08-09-2004
- (ii) Jodhpur and Kota - 09-09-2004
- (iii) Jaipur-I and Jaipur-II - 10-09-2004
- (iv) Udaipur - 13-09-2004

Yours faithfully,

PRINCIPAL SECRETARY, PWD

Copy to :-

- 1. PS to Hon'ble PWM.
- 2. PS to Chief Secretary, Govt. of Rajasthan, Jaipur.
- 3. The Development Commissioner & Addl. Chief Secretary to Govt. of Rajasthan.
- 4. The Principal Secretary to Govt. Rural Development & Panchayati Raj Department, Rajasthan, Jaipur.
- 5. The Director, Panchayati Raj Department, Rajasthan, Jaipur.

PRINCIPAL SECRETARY, PWD

1. प्रमाणित प्रतिलिपि
 2. प्रमाणित प्रतिलिपि
 दिनांक 10/8/04
 10/8/04
 कार्यालय सहायक प्रमुख

2909
 13-8-04
 TA
 please limit the work
 put up in city to be
 S.W. 10/8/04

1920
 13-8-04
 TA
 प्रमुख
 स. वि. विभाग, वृत्त शांतिपुर
 सहायक